MÆRSK OIL AND GAS A/S
Kerning Bo-2X: Fra Bit til Billedvej
Lower Cretaceous Tuxen formation

7
Hänel LEAN-LIFT
Hänel LEAN-LIFT

Hänel LEAN-LIFT
8
Hänel LEAN-LIFT
9
10

12
13
14
15
LEAN-LIFT

Hänel LEAN-LIFT
7
Hänel LEAN-LIFT
8
9
10
FARE
Sikkerhedsanvisninger

Hänel LEAN-LIFT
7
8
9
10

Brandmeldeanlage

9
10

8
9
10
11

Mitigation Measures - Scale Inhibitors
Types of Scale Inhibitors
Phosphonate based (Poor Environmental performance – less than 20% biodegradable)
Polymer based
Test of scale inhibitors for downhole application – corrositivity and compatibility
Corrositivity
Tubing, X-mas tree and flow line material
Elastomer compatibility
Packing material in the subassemblies installed in the wells
Gunking
Solidification of a liquid where "carried" by a gas – which ones test onto the Lift Gas System
Contingency
Mono Ethylene Glycol
Methanol
Brine Compatibility
Thermal Stability
MAERSK OIL
DUC i Nordsøen
INTERNET
APMM-HOTSPOT
LUNCH BEHIND THE BUILDING AT 12

0040